

## **Appendix A: LIST OF SPECIES OF CONSERVATION CONCERN IN NOTTINGHAMSHIRE**

The criteria used to select priority species are described in section 2.8. Species whose names are indicated in **bold type** are on the UK Biodiversity Action Plan Long List.

There are many groups for which county priority lists have not yet been compiled. Of these, the following feature in the current UK Long List:

Ants	Molluscs	Algae
Bees	Bryozoans	Fungi
Caddis flies	Stone flies	Lichens
Crustacea	True bugs	Liverworts
Flies	Wasps	Mosses
Millipedes	Worms	Stoneworts

For most of these groups, our knowledge of the local status of species is relatively poor. The Biodiversity Action Group will work with local and national experts towards the eventual compilation of County priority lists for all these groups.

There are many other groups which have been omitted from the Long List due to a lack of information. The compilation of national and local priority lists for these will require extensive survey and research, and must be seen as a long term prospect, requiring considerable investment in biological recording.

**Mammals**

Twenty four UK Long List mammals have been recorded in Nottinghamshire. In addition to these, a further two are important at a county level due to:

- rarity in Nottinghamshire;
- known or suspected decline in Nottinghamshire;
- perceived sensitivity/vulnerability to further changes in habitat, land-use practice etc.

**List of Mammals of Conservation Concern**

<b>Badger</b>	<i>Meles meles</i>
<b>Brown hare</b>	<i>Lepus europaeus</i>
<b>Brown long-eared bat</b>	<i>Plecotus auritus</i>
<b>Common shrew</b>	<i>Sorex araneus</i>
<b>Daubenton's bat</b>	<i>Myotis daubentoni</i>
<b>Dormouse</b>	<i>Muscardinus avellanarius</i>
<b>Fallow deer</b>	<i>Dama dama</i>
Harvest mouse	<i>Micromys minutus</i>
<b>Hedgehog</b>	<i>Erinaceus europaeus</i>
<b>Leisler's bat</b>	<i>Nyctalus leisleri</i>
<b>Natterer's bat</b>	<i>Myotis nattereri</i>
<b>Noctule bat</b>	<i>Nyctalus noctula</i>
<b>Otter</b>	<i>Lutra lutra</i>
<b>Pipistrelle bat</b>	<i>Pipistrellus pipistrellus</i>
<b>Pygmy shrew</b>	<i>Sorex minutus</i>
<b>Red deer</b>	<i>Cervus elaphus</i>
<b>Red squirrel</b>	<i>Sciurus vulgaris</i>
<b>Roe deer</b>	<i>Capreolus capreolus</i>
<b>Serotine bat</b>	<i>Eptesicus serotinus</i>
<b>Stoat</b>	<i>Mustela erminea</i>
<b>Water shrew</b>	<i>Neomys fodiens</i>
<b>Water vole</b>	<i>Arvicola terrestris</i>
<b>Weasel</b>	<i>Mustela nivalis</i>
<b>Whiskered/ Brandt's bat</b>	<i>Myotis mystacinus/ M.brandtii</i>
Yellow-necked mouse	<i>Apodemus flavicollis</i>

**Birds**

A large number of UK Long List species have been recorded in Nottinghamshire. In addition to these, a few species have been added because they are considered to be particularly characteristic of the County or because local populations are in decline.

**List of Birds of Conservation Concern**

<b>Barn owl</b>	<i>Tyto alba</i>
<b>Bearded tit</b>	<i>Panurus biarmicus</i>
<b>Bewick's swan</b>	<i>Cygnus columbianus bewickii</i>
<b>Bittern</b>	<i>Botaurus stellaris</i>
<b>Blackcap</b>	<i>Sylvia atricapilla</i>
<b>Black redstart</b>	<i>Phoenicurus ochruros</i>
<b>Black-necked grebe</b>	<i>Podiceps nigricollis</i>
<b>Black-tailed godwit</b>	<i>Limosa limosa</i>
Blackbird	<i>Turdus merula</i>
<b>Blue tit</b>	<i>Parus caeruleus</i>
<b>Brambling</b>	<i>Fringilla montifringilla</i>
<b>Bullfinch</b>	<i>Pyrrhula pyrrhula</i>
<b>Chiffchaff</b>	<i>Phylloscopus collybita</i>
<b>Coal tit</b>	<i>Parus ater</i>
<b>Common buzzard</b>	<i>Buteo buteo</i>
<b>Common tern</b>	<i>Sterna hirundo</i>
<b>Corn bunting</b>	<i>Miliaria calandra</i>
<b>Corncrake</b>	<i>Crex crex</i>
<b>Curlew</b>	<i>Numenius arquata</i>
<b>Dipper</b>	<i>Cinclus cinclus</i>
<b>Dotterel</b>	<i>Charadrius morinellus</i>
<b>Dunnock</b>	<i>Prunella modularis</i>
<b>Fieldfare</b>	<i>Turdus pilaris</i>
<b>Gadwall</b>	<i>Anas strepera</i>
<b>Garden warbler</b>	<i>Sylvia borin</i>
<b>Garganey</b>	<i>Anas querquedula</i>
<b>Goldcrest</b>	<i>Regulus regulus</i>
<b>Goldeneye</b>	<i>Bucephala clangula</i>
<b>Golden plover</b>	<i>Pluvialis apricaria</i>
<b>Goldfinch</b>	<i>Carduelis carduelis</i>
<b>Goshawk</b>	<i>Accipiter gentilis</i>
<b>Grasshopper warbler</b>	<i>Locustella naevia</i>
<b>Great spotted woodpecker</b>	<i>Dendrocopos major</i>
<b>Great tit</b>	<i>Parus major</i>
<b>Green woodpecker</b>	<i>Picus viridis</i>
<b>Greenfinch</b>	<i>Carduelis chloris</i>
Grey heron	<i>Ardea cinerea</i>
<b>Grey partridge</b>	<i>Perdix perdix</i>

---

<b>Grey wagtail</b>	<i>Motacilla cinerea</i>
<b>Hawfinch</b>	<i>Coccothraustes coccothraustes</i>
<b>Hen harrier</b>	<i>Circus cyaenus</i>
<b>Herring gull</b>	<i>Larus argentatus</i>
<b>Hobby</b>	<i>Falco subbuteo</i>
<b>Honey buzzard</b>	<i>Pernis apivorus</i>
<b>House martin</b>	<i>Delichon urbica</i>
<b>Jack snipe</b>	<i>Lymnocyptes minimus</i>
<b>Kestrel</b>	<i>Falco tinnunculus</i>
<b>Kingfisher</b>	<i>Alcedo atthis</i>
<b>Lapwing</b>	<i>Vanellus vanellus</i>
<b>Lesser black-backed gull</b>	<i>Larus fuscus</i>
<b>Lesser spotted woodpecker</b>	<i>Dendrocopos minor</i>
<b>Lesser whitethroat</b>	<i>Sylvia carruca</i>
<b>Linnet</b>	<i>Carduelis cannabina</i>
<b>Little ringed plover</b>	<i>Charadrius dubius</i>
<b>Long-eared owl</b>	<i>Asio otus</i>
<b>Mallard</b>	<i>Anas platyrhynchos</i>
<b>Marsh harrier</b>	<i>Circus aeruginosus</i>
<b>Marsh tit</b>	<i>Parus palustris</i>
<b>Meadow pipit</b>	<i>Anthus pratensis</i>
<b>Merlin</b>	<i>Falco columbarius</i>
<b>Montague's harrier</b>	<i>Circus pygargus</i>
<b>Mute swan</b>	<i>Cygnus olor</i>
<b>Nightingale</b>	<i>Luscinia megarhynchos</i>
<b>Nightjar</b>	<i>Caprimulgus europaeus</i>
<b>Nuthatch</b>	<i>Sitta europaea</i>
<b>Oystercatcher</b>	<i>Haemotopus ostralegus</i>
<b>Peregrine</b>	<i>Falco peregrinus</i>
<b>Pied flycatcher</b>	<i>Ficedula hypoleuca</i>
<b>Pied wagtail</b>	<i>Motacilla alba</i>
<b>Pintail</b>	<i>Anas acuta</i>
<b>Pochard</b>	<i>Aythya ferina</i>
<b>Quail</b>	<i>Coturnix Coturnix</i>
<b>Red backed shrike</b>	<i>Lanius collurio</i>
<b>Red kite</b>	<i>Milvus milvus</i>
<b>Redshank</b>	<i>Tringa totanus</i>
<b>Redstart</b>	<i>Phoenicurus phoenicurus</i>
<b>Redwing</b>	<i>Turdus iliacus</i>
<b>Reed bunting</b>	<i>Emberiza schoeniclus</i>
<b>Reed warbler</b>	<i>Acrocephalus scirpaceus</i>
<b>Ringed plover</b>	<i>Charadrius hiaticula</i>
<b>Ruff</b>	<i>Philomachus pugnax</i>
<b>Sand martin</b>	<i>Riparia riparia</i>
<b>Sedge warbler</b>	<i>Acrocephalus schoenobaenus</i>
<b>Shelduck</b>	<i>Tadorna tadorna</i>
<b>Short-eared owl</b>	<i>Asio flammeus</i>

---

---

<b>Shoveler</b>	<i>Anas clypeata</i>
<b>Skylark</b>	<i>Alauda arvensis</i>
<b>Snipe</b>	<i>Gallinago gallinago</i>
<b>Song thrush</b>	<i>Turdus philomelos</i>
<b>Sparrowhawk</b>	<i>Accipiter nisus</i>
<b>Spotted crane</b>	<i>Porzana porzana</i>
<b>Spotted flycatcher</b>	<i>Muscicapa striata</i>
Starling	<i>Sturnus vulgaris</i>
Stock dove	<i>Columba oenas</i>
<b>Stonechat</b>	<i>Saxicola torquata</i>
<b>Swallow</b>	<i>Hirundo rustica</i>
<b>Tawny owl</b>	<i>Strix aluco</i>
<b>Teal</b>	<i>Anas crecca</i>
<b>Tree pipit</b>	<i>Anthus trivialis</i>
<b>Tree sparrow</b>	<i>Passer montanus</i>
<b>Treecreeper</b>	<i>Certhia familiaris</i>
<b>Tufted duck</b>	<i>Aythya fuligula</i>
<b>Turtle dove</b>	<i>Streptopelia turtur</i>
<b>Water rail</b>	<i>Rallus aquaticus</i>
<b>Waxwing</b>	<i>Bombycilla garrulus</i>
<b>Whinchat</b>	<i>Saxicola rubetra</i>
<b>Whitethroat</b>	<i>Sylvia communis</i>
<b>Whooper swan</b>	<i>Cygnus cygnus</i>
<b>Wigeon</b>	<i>Anas penelope</i>
<b>Willow tit</b>	<i>Parus montanus</i>
<b>Willow warbler</b>	<i>Phylloscopus trochillus</i>
<b>Wood warbler</b>	<i>Phylloscopus sibilatrix</i>
<b>Woodcock</b>	<i>Scolopax rusticola</i>
<b>Woodlark</b>	<i>Lullula arborea</i>
<b>Wryneck</b>	<i>Jynx torquilla</i>
<b>Yellow wagtail</b>	<i>Motacilla flava</i>
<b>Yellowhammer</b>	<i>Emberiza citrinella</i>

## **Reptiles**

Four of the six reptiles native to the UK occur in Nottinghamshire, and of these, three are on the UK Long List. In addition to these, the common lizard has been added because it has a very localised distribution in Nottinghamshire, is under threat from the loss of its habitat, and has been declining in the County for some time.

### **List of Reptiles of Conservation Concern.**

<b>Adder</b>	<i>Vipera berus</i>
Common lizard	<i>Lacerta vivipara</i>
<b>Grass snake</b>	<i>Natrix natrix</i>
<b>Slow worm</b>	<i>Anguis fragilis</i>

## **Amphibians**

Four of the six native amphibians occur in Nottinghamshire. All are on the UK Long List.

### **List of Amphibians of Conservation Concern**

<b>Common frog</b>	<i>Rana temporaria</i>
<b>Common toad</b>	<i>Bufo bufo</i>
<b>Great crested newt</b>	<i>Triturus cristatus</i>
<b>Smooth newt</b>	<i>Triturus vulgaris</i>

## **Fish**

Six UK Long List species have been recorded in Nottinghamshire. In addition to these, the brown trout has been added because it has a highly localised distribution in the County, and is known to be declining.

### **List of Fish of Conservation Concern**

<b>Brook lamprey</b>	<i>Lampetra planeri</i>
Brown trout	<i>Salmo trutta</i>
<b>Bullhead</b>	<i>Cottus gobio</i>
<b>Burbot</b>	<i>Lota lota</i>
<b>Smelt</b>	<i>Osmerus eperlanus</i>
<b>Spined loach</b>	<i>Cobitis maximus</i>
<b>Atlantic salmon</b>	<i>Salmo salar</i>

**Butterflies and Moths (Lepidoptera)**

*The following list has been compiled by Dr Sheila Wright, Keeper of Biology at the Nottinghamshire Biological and Geological Records Centre, Wollaton Hall.*

Only eight species of Lepidoptera on the UK Long List occur in Nottinghamshire. However, there are a large number of other nationally rare and threatened species which have not yet been included in the Long List, and many of these are found in the County. The following list contains all nationally important species, and those of county importance, recorded in Nottinghamshire since 1980. The UK status of each species is indicated as follows:

**RDB1:** Endangered. Species recorded in 15 or fewer 10km squares of the national grid which are in danger of extinction.

**RDB2:** Vulnerable. Species recorded in 15 or fewer 10km squares which are likely to move into RDB1 in the near future if causal factors continue.

**RDB3:** Rare. Species recorded in 15 or fewer 10km squares which have small populations, but do not at present qualify as RDB1-2.

**Na:** Nationally Scarce Grade A. Species recorded in 16-30 10km squares since 1980.

**Nb:** Nationally Scarce Grade B. Species recorded in 31-100 10km squares since 1980.

**Local:** Species with localised national distributions, recorded in 101-300 10km squares since 1980.

All other species are nationally common, but have been recorded in 3 or fewer 10km squares in Nottinghamshire since 1980, and are hence of county importance. As in all lists, names in **bold type** indicate UK Long List.

List of Butterflies and Moths of Conservation Concern

Alder kitten	<i>Furcula bicuspis</i>	<b>Nb</b>
Alder moth	<i>Acronicta alni</i>	<b>Local</b>
Angle-striped sallow	<i>Enargia paleacea</i>	<b>Nb</b>
Annulet	<i>Gnophos obscurata</i>	<b>Local</b>
Anomalous	<i>Stilbia anomala</i>	<b>Local</b>
Archer's dart	<i>Agrotis vestigialis</i>	<b>Local</b>
August thorn	<i>Ennomos quercinaria</i>	<b>Local</b>
Autumn green carpet	<i>Chloroclysta miata</i>	<b>Local</b>
Balsam carpet	<i>Xanthorhoe biriviata</i>	<b>Na</b>
Barred chestnut	<i>Diarsia dahlii</i>	<b>Local</b>
Barred hook-tip	<i>Drepana cultraria</i>	<b>Local</b>
Barred rivulet	<i>Perizoma bifaciata</i>	<b>Local</b>
Beautiful brocade	<i>Lacanobia contigua</i>	<b>Local</b>
Beautiful hook-tip	<i>Laspeyria flexula</i>	<b>Local</b>
Beautiful yellow underwing	<i>Anarta myrtilli</i>	

Birch mocha	<i>Cyclophora albipunctata</i>	<b>Local</b>
Bird's wing	<i>Dypterygia scabriuscula</i>	<b>Local</b>
Blackneck	<i>Lygephila pastinum</i>	<b>Local</b>
Blomer's rivulet	<i>Discoloxia blomeri</i>	<b>Nb</b>
Blotched emerald	<i>Comibaena bajularia</i>	<b>Local</b>
Bordered sallow	<i>Pyrrhia umbra</i>	<b>Local</b>
Brindled ochre	<i>Dasyptolia templi</i>	<b>Local</b>
<b>Broad-bordered bee hawk-moth</b>	<i>Hemaris fuciformis</i>	<b>Nb</b>
<b>Broom-tip</b>	<i>Chesias rufata rufata</i>	<b>Nb</b>
Brown argus	<i>Aricia agestis</i>	<b>Local</b>
Brown scallop	<i>Philereme vetulata</i>	<b>Local</b>
Brown-tail	<i>Euproctis chrysorrhoea</i>	<b>Local</b>
Brown-veined wainscot	<i>Archanara dissoluta</i>	<b>Local</b>
Buff footman	<i>Eilema deplana</i>	<b>Local</b>
Burnet companion	<i>Euclidean glyphica</i>	
Butterbur	<i>Hydraecia petasitis</i>	<b>Local</b>
Chamomile shark	<i>Cucullia chamomillae</i>	<b>Local</b>
Clay triple-lines	<i>Cyclophora linearia</i>	<b>Local</b>
Clouded buff	<i>Diacrisia sannio</i>	<b>Local</b>
Clouded magpie	<i>Abraxas sylvata</i>	<b>Local</b>
Cream wave	<i>Scopula floslactata</i>	<b>Local</b>
Cream-bordered green pea	<i>Earias clorana</i>	<b>Nb</b>
Crescent	<i>Celaena leucostigma</i>	<b>Local</b>
Dark brocade	<i>Mniotype adusta</i>	
Dark spectacle	<i>Abrostola trigemina</i>	
Dark umber	<i>Philereme transversata</i>	<b>Local</b>
Dentated pug	<i>Anticollix sparsata</i>	<b>Na</b>
Devon carpet	<i>Lampropteryx otregiata</i>	<b>Nb</b>
Dingy footman	<i>Eilema griseola</i>	
Dingy shears	<i>Parastichtis ypsilon</i>	<b>Local</b>
Dingy shell	<i>Euchoeca nebulata</i>	<b>Local</b>
Dingy skipper	<i>Erynnis tages</i>	<b>Local</b>
Dog's tooth	<i>Lacanobia suasa</i>	<b>Local</b>
Dotted rustic	<i>Rhyacia simulans</i>	<b>Local</b>
Double lobed	<i>Apamea ophiogramma</i>	<b>Local/Common</b>
Dusky-lemon sallow	<i>Xanthia gilvago</i>	<b>Local</b>
Dwarf cream wave	<i>Idaea fuscovenosa</i>	<b>Local</b>
Early tooth-striped	<i>Trichopteryx carpinata</i>	
Emperor moth	<i>Pavonia pavonia</i>	
Fen wainscot	<i>Arenostola phragmitidis</i>	<b>Local</b>
<b>Four-spotted</b>	<i>Tyta luctuosa</i>	<b>RDB3/Na</b>
Freyer's pug	<i>Eupithecia intricata arceuthata</i>	
Frosted green	<i>Polyploca ridens</i>	<b>Local</b>
Galium carpet	<i>Epirrhoe galiata</i>	<b>Local</b>
Gold spangle	<i>Autographa bractea</i>	
Gold swift	<i>Hepialus hecta</i>	<b>Local</b>

Golden-rod pug	<i>Eupithecia virgaureata</i>	<b>Local</b>
Gothic	<i>Naenia typica</i>	<b>Local</b>
Grass rivulet	<i>Perizoma albulata</i>	<b>Local</b>
Grass wave	<i>Perconia strigillaria</i>	<b>Nb</b>
Great oak beauty	<i>Boarmia roboraria</i>	<b>Nb</b>
Green arches	<i>Anaplectoides prasina</i>	
Green hairstreak	<i>Callophrys rubi</i>	<b>Local</b>
Grizzled skipper	<i>Pyrgus malvae</i>	<b>Local</b>
Haworth's minor	<i>Celaena haworthii</i>	<b>Local</b>
Heart and club	<i>Agrotis clavis</i>	
Heath rustic	<i>Xestia agathina agathina</i>	<b>Local</b>
Hornet moth	<i>Sesia apiformis</i>	<b>Nb</b>
July belle	<i>Scotopteryx luridata</i>	
Lappet	<i>Gastropacha quercifolia</i>	
Large ear	<i>Amphipoea lucens</i>	<b>Local</b>
Large nutmeg	<i>Apamea anceps</i>	<b>Local</b>
Large ranunculus	<i>Polymixis flavicineta</i>	<b>Local</b>
Large red-belted clearwing	<i>Synanthedon culiciformis</i>	<b>Nb</b>
Large twin-spot carpet	<i>Xanthorhoe quadrifasciata</i>	<b>Local</b>
Large wainscot	<i>Rhizedra lutosa</i>	
Lead belle	<i>Scotopteryx mucronata umbrifera</i>	
Least black arches	<i>Nola confusalis</i>	<b>Local</b>
Lempke's gold spot	<i>Plusia putnami gracilis</i>	<b>Local</b>
Lesser cream wave	<i>Scopula immutata</i>	<b>Local</b>
Lesser-spotted pinion	<i>Cosmia affinis</i>	<b>Local</b>
Light brocade	<i>Lacanobia w-latinum</i>	<b>Local</b>
Lilac beauty	<i>Apeira syringaria</i>	<b>Local</b>
Ling pug	<i>Eupithecia f.goossensiata</i>	<b>Local</b>
Lunar marbled brown	<i>Drymonia ruficornis</i>	<b>Local</b>
Lunar thorn	<i>Selenia lunularia</i>	<b>Local</b>
Lunar-spotted pinion	<i>Cosmia pyralina</i>	<b>Local</b>
Maiden's blush	<i>Cyclophora punctaria</i>	<b>Local</b>
Map-winged swift	<i>Hepialus fusconebulosa</i>	<b>Local</b>
Maple pug	<i>Eupithecia inturbata</i>	<b>Local</b>
Marbled brown	<i>Drymonia dodonaea</i>	
Marbled coronet	<i>Hadena confusa</i>	<b>Local</b>
Marbled white spot	<i>Lithacodia pygarga</i>	
<b>Marsh carpet</b>	<i>Perizoma sagittata</i>	<b>Na</b>
Marsh pug	<i>Eupithecia pygmaeata</i>	<b>Local</b>
Minor shoulder-knot	<i>Brachylomia viminalis</i>	
Mottled grey	<i>Colostigia multistrigaria</i>	
Muslin footman	<i>Nudaria mundana</i>	<b>Local</b>
Netted pug	<i>Eupithecia venosata</i>	<b>Local</b>
Northern drab	<i>Orthosia opima</i>	<b>Local</b>
Northern rustic	<i>Standfussiana lucernea</i>	<b>Local</b>
Oak eggar	<i>Lasiocampa quercus quercus</i>	
Oak lutestring	<i>Cymatophorima diluta</i>	<b>Local</b>

Oak nycteoline	<i>Nycteola revayana</i>	<b>Local</b>
Obscure wainscot	<i>Mythimna obsoleta</i>	<b>Local</b>
Ochreous pug	<i>Eupithecia indigata</i>	
Old lady	<i>Mormo maura</i>	<b>Local</b>
Olive	<i>Ipimorpha subtusa</i>	<b>Local</b>
<b>Orange footman</b>	<i>Eilema sororcula</i>	<b>Nb</b>
Orange sallow	<i>Xanthia citrigo</i>	
Orange underwing	<i>Archiearis parthenias</i>	<b>Local</b>
Pale oak beauty	<i>Serraca punctinalis</i>	
Peacock moth	<i>Semiothisa notata</i>	<b>Local</b>
<b>Pearl-bordered fritillary</b>	<i>Boloria euphrosyne</i>	<b>Nb</b>
Phoenix	<i>Eulithis prunata</i>	
Pine hawk-moth	<i>Hyloicus pinastri</i>	<b>Local</b>
Pinion-spotted pug	<i>Eupithecia insigniata</i>	<b>Nb</b>
Pinion-streaked snout	<i>Schrankia costaeastrigalis</i>	<b>Local</b>
Plain pug	<i>Eupithecia simplicata</i>	<b>Local</b>
Plain wave	<i>Idaea straminata</i>	<b>Local</b>
Poplar kitten	<i>Furcula bifida</i>	<b>Local</b>
Poplar lutestring	<i>Tethea or or</i>	<b>Local</b>
Portland moth	<i>Actebia praecox</i>	<b>Nb</b>
Purple hairstreak	<i>Quercusia quercus</i>	<b>Local</b>
Red swordgrass	<i>Xylena vetusta</i>	<b>Nb/Local</b>
Red-tipped clearwing	<i>Synanthedon formicaeformis</i>	<b>Nb</b>
Round-winged muslin	<i>Thumatha senex</i>	<b>Local</b>
Ruddy highflyer	<i>Hydriomena ruberata</i>	<b>Local</b>
Rufous minor	<i>Oligia versicolor</i>	<b>Local</b>
<b>Rush wainscot</b>	<i>Archanara algae</i>	<b>RDB3</b>
Saltern ear	<i>Amphipoea fucosa</i>	<b>Local</b>
Satyr pug	<i>Eupithecia satyrata</i>	
Scallop shell	<i>Rheumaptera undulata</i>	
Scarce footman	<i>Eilema complana</i>	<b>Local</b>
Scarce prominent	<i>Odontosia carmelita</i>	<b>Local</b>
Scarce silver-lines	<i>Bena prasinana</i>	<b>Local</b>
Scarce tissue	<i>Rheumaptera cervinalis</i>	
Scorched carpet	<i>Ligdia adustata</i>	<b>Local</b>
Scorched wing	<i>Plagodis dolabraria</i>	<b>Local</b>
Seraphim	<i>Lobophora halterata</i>	<b>Local</b>
Shaded pug	<i>Eupithecia subumbrata</i>	<b>Local</b>
Silky wainscot	<i>Chilodes maritimus</i>	<b>Nb/Local</b>
Silver hook	<i>Deltote uncula</i>	<b>Local</b>
Six-belted clearwing	<i>Bembecia scopigera</i>	<b>Nb</b>
Slender brindle	<i>Apamea scolopacina</i>	<b>Local/Common</b>
Sloe pug	<i>Chloroclystis chloerata</i>	
Small argent and sable	<i>Epirrhoe tristata</i>	
Small autumnal	<i>Epirrita filigrammaria</i>	
Small autumnal	<i>Epirrita filigrammaria</i>	
Small chocolate-tip	<i>Clostera pigra</i>	<b>Nb</b>

Small elephant hawk-moth	<i>Deilephila porcellus</i>	<b>Local</b>
Small emerald	<i>Hemistola chrysoprasaria</i>	<b>Local</b>
Small grass emerald	<i>Chlorissa viridata</i>	<b>Na</b>
Small rufous	<i>Coenobia rufa</i>	<b>Local</b>
Small scallop	<i>Idaea emarginata</i>	<b>Local</b>
Small waved umber	<i>Horisma vitalbata</i>	
Small white wave	<i>Asthena albulata</i>	
Small yellow underwing	<i>Panemeria tenebrata</i>	<b>Local</b>
Smoky wave	<i>Scopula ternata</i>	<b>Local</b>
Southern wainscot	<i>Mythimna straminea</i>	<b>Local</b>
<b>Square-spotted clay</b>	<i>Xestia rhomboidea</i>	<b>Nb</b>
Stout dart	<i>Spaelotis ravida</i>	<b>Local</b>
Straw dot	<i>Rivula sericealis</i>	
Striped wainscot	<i>Mythimna pudorina</i>	<b>Local</b>
Suspected	<i>Parastichtis suspecta</i>	<b>Local</b>
Sycamore	<i>Acronicta aceris</i>	<b>Local</b>
Tawny pinion	<i>Lithophane semibrunnea</i>	<b>Local</b>
Tawny shears	<i>Hadena perplexa perplexa</i>	
Tissue	<i>Triphosa dubitata</i>	<b>Local</b>
Toadflax pug	<i>Eupithecia linariata</i>	
Treble brown spot	<i>Idaea trigeminata</i>	<b>Local</b>
Treble lines	<i>Charanyca trigrammica</i>	
Triple-spotted clay	<i>Xestia ditrapezium</i>	<b>Local</b>
Triple-spotted pug	<i>Eupithicia trisignaria</i>	<b>Local</b>
V-moth	<i>Semiothisa wauaria</i>	<b>Local</b>
Valerian pug	<i>Eupithecia valerianata</i>	<b>Nb</b>
Varied coronet	<i>Hadena compta</i>	
Vine's rustic	<i>Hoplodrina ambigua</i>	<b>Local</b>
White admiral	<i>Ladoga camilla</i>	<b>Local</b>
White colon	<i>Sideridis albicolon</i>	<b>Nb</b>
White satin	<i>Leucoma salicis</i>	<b>Local</b>
White-letter hairstreak	<i>Strymonidia w-album</i>	<b>Local</b>
White-spotted pug	<i>Eupithecia tripunctaria</i>	<b>Local</b>
Wood carpet	<i>Epirrhoe rivata</i>	<b>Local</b>
Wormwood	<i>Cucullia absinthii</i>	<b>Nb</b>
Yellow-barred brindle	<i>Acasis viretata</i>	<b>Local</b>
Yellow-horned	<i>Achlya flavicornis</i>	
Yellow-legged clearwing	<i>Synanthedon vespiformis</i>	<b>Nb</b>

### **Dragonflies and Damselflies (Odonata)**

*The following list has been compiled by Dr Sheila Wright, Keeper of Biology at the Nottinghamshire Biological and Geological Records Centre, Wollaton Hall.*

No UK Long List species have been recorded in Nottinghamshire. The following six species have been selected because they occur in 3 or fewer 10km squares in Nottinghamshire. Four of them are of national importance and are classified as:

**Nb:** Nationally Notable Grade B. Recorded in 31-100 10km squares of the national grid since 1980.

**Local:** Species with localised national distributions, known from 101-300 10km squares since 1980.

List of Dragonflies and Damselflies of Conservation Concern

Black darter	<i>Sympetrum danae</i>	<b>Local</b>
Black-tailed skimmer	<i>Orthetrum cancellatum</i>	
Common hawkmer	<i>Aeshna juncea</i>	<b>Local</b>
Hairy dragonfly	<i>Brachytron pratense</i>	<b>Nb</b>
Red-eyed damselfly	<i>Erythromma najas</i>	
Variable damselfly	<i>Coenagrion pulchellum</i>	<b>Nb</b>

**Spiders and Their Relatives**

*The following list has been compiled by Lawrence Bee.*

Spiders are poorly recorded in Nottinghamshire compared to most other groups, and we are therefore unsure of the status of most species. Three species on the UK Long List have been recorded so far in Nottinghamshire, but there are likely to be many other nationally important species in the County. Further survey and research is needed to draw up a more complete priority list.

List of Spiders and Their Relatives of Conservation Concern

<b>a false scorpion</b>	<i>Dendrochernes cyrneus</i>
<b>a spider</b>	<i>Lepthyphantes midas</i>
<b>a spider</b>	<i>Tuberta macrophthalma</i>

**Grasshoppers and Crickets (Orthoptera)**

*The following list was compiled with the help of Roy Frost from Derbyshire Entomological Society.*

Orthoptera are poorly recorded in Nottinghamshire compared to most other groups. Only eight species have been recorded in total, and none of these feature on the UK Long List. The following three species have been selected as county priorities because they are rare in Nottinghamshire and have specialised habitat requirements which make them especially vulnerable.

**List of Grasshoppers and Crickets of Conservation Concern**

Common groundhopper	<i>Tetrix undulata</i>
Slender groundhopper	<i>Tetrix subulata</i>
Speckled bush cricket	<i>Leptophyes punctatissima</i>

**Beetles (Coleoptera)**

*The following list has been compiled by Dr Sheila Wright, Keeper of Biology at the Nottinghamshire Biological and Geological Records Centre, Wollaton Hall.*

Five beetles on the UK Long List occur in Nottinghamshire. However, there are a large number of nationally rare and threatened species which have not been included in the Long List, and many of these are found in the County. The following list contains all nationally important (Red Data Book and Nationally Notable) species recorded in Nottinghamshire. The status of each is indicated as follows:

**RDB1:** Endangered. Species which have shown a rapid continuous decline over the last twenty years, and now exist in 5 or fewer 10km squares of the national grid.

**RDB2:** Vulnerable. Species likely to move into RDB1 in the near future, as most or all populations are declining. Found in 15 or fewer 10km squares since 1980.

**RDB3:** Rare. Species with small populations which are localised or thinly scattered, but not at present qualifying for RDB1-2. Found in 15 or fewer 10km squares since 1980.

**RDBK:** Species believed to be rare but too recently discovered to be categorised easily.

**RDBI:** Red data book indeterminate. Species believed to be rare, but for which data on their distribution is insufficient to allow a grade to be assigned.

**Na:** Nationally Scarce Grade A. Recorded in 16-30 10km squares since 1980.

**Nb:** Nationally Scarce Grade B. Recorded in 31-100 10km squares since 1980.

**p** indicates a provisional status. As in all lists, a name in **bold type** indicates UK Long List. [ ] indicates species which have not been recorded in the County since the publication of 'The Invertebrate Fauna of Nottinghamshire' by J.W.Carr in 1916. It is believed that these species are likely to still be present.

**List of Beetles of Conservation Concern**

Aderidae (Heteromeran beetles):	<i>Aderus oculatus</i>	<b>Nb</b>
Anobiidae (Death-watch beetles):	[ <i>Anitys rubens</i> ]	<b>Nb</b>
	<i>Dorcatoma flavicornis</i>	<b>Nb</b>
	[ <i>Dryophilus anobioides</i> ]	<b>pRDB3</b>
	[ <i>Ptinomorphus imperialis</i> ]	<b>Nb</b>
	[ <i>Xyletinus longitarsis</i> ]	<b>pRDB2</b>
Anthribidae (Fungus weevils):	[ <i>Anthribus fasciatus</i> ]	<b>Na</b>
	[ <i>Anthribus nebulosus</i> ]	<b>Nb</b>
	<i>Platyrhinus resinosus</i>	<b>Nb</b>

Apionidae (Pear-shaped weevils):	[ <i>Protapion difforme</i> ]	<b>Nb</b>
	[ <i>Pseudoprotapion astragali</i> ]	<b>Na</b>
Attelabidae (Leaf-rolling weevils):	[ <i>Rhynchites cavifrons</i> ]	<b>Nb</b>
	[ <i>Rhynchites cupreus</i> ]	<b>Nb</b>
	<i>Rhynchites interpunctatus</i>	<b>Nb</b>
	[ <i>Rhynchites pauxillus</i> ]	<b>pRDB3</b>
Buprestidae (Jewel beetles):	[ <i>Agrilus angustulus</i> ]	<b>Nb</b>
	[ <i>Agrilus laticornis</i> ]	<b>Nb</b>
	<i>Agrilus pannonicus</i>	<b>Na</b>
Byrrhidae (Pill beetles):	[ <i>Porcinolus murinus</i> ]	<b>Nb</b>
Cantharidae (Soldier beetles):	<i>Cantharis obscura</i>	<b>Nb</b>
	[ <i>Malthinus frontalis</i> ]	<b>Nb</b>
	<i>Malthodes fibulatus</i>	<b>Nb</b>
	[ <i>Rhagonycha lutea</i> ]	<b>Nb</b>
	<i>Rhagonycha translucida</i>	<b>Nb</b>
Carabidae (Ground beetles):	<i>Acupalpus consputus</i>	<b>Nb</b>
	<i>Agonum livens</i>	<b>Nb</b>
	[ <i>Agonum nigrum</i> ]	<b>Nb</b>
	<i>Amara consularis</i>	<b>Nb</b>
	[ <i>Amara fulva</i> ]	<b>Nb</b>
	[ <i>Badister unipustulatus</i> ]	<b>Nb</b>
	<i>Bembidion clarki</i>	<b>Nb</b>
	[ <i>Bembidion fluviatile</i> ]	<b>Nb</b>
	<i>Bembidion fumigatum</i>	<b>Nb</b>
	<i>Bembidion gilvipes</i>	<b>Nb</b>
	[ <i>Bembidion lunatum</i> ]	<b>Nb</b>
	<i>Bembidion obliquum</i>	<b>Nb</b>
	[ <i>Bembidion stomoides</i> ]	<b>Nb</b>
	<i>Blethisa multipunctata</i>	<b>Nb</b>
	<i>Calathus ambiguus</i>	<b>Nb</b>
	<i>Carabus monilis</i>	<b>Nb</b>
	[ <i>Chlaenius nigricornis</i> ]	<b>Nb</b>
	<b><i>Dromius quadrisignatus</i></b>	<b>pRDB1</b>
	<b><i>Dromius sigma</i></b>	<b>Na</b>
	<i>Harpalus azureus</i>	<b>Nb</b>
	<b>[<i>Harpalus punctatulus</i>]</b>	<b>Na</b>
[ <i>Harpalus puncticollis</i> ]	<b>pRDB3</b>	
[ <i>Harpalus smaragdinus</i> ]	<b>Nb</b>	
[ <i>Licinus depressus</i> ]	<b>Nb</b>	
<i>Miscodera arctica</i>	<b>Nb</b>	
	[ <i>Notiophilus quadripunctatus</i> ]	<b>Nb</b>

	<i>[Platyderus ruficollis]</i>	<b>Nb</b>
	<i>Pterostichus angustatus</i>	<b>Nb</b>
	<i>Pterostichus gracilis</i>	<b>Nb</b>
	<i>[Pterostichus longicollis]</i>	<b>Nb</b>
	<i>Pterostichus oblongopunctatus</i>	<b>Nb</b>
	<i>Tachys parvulus</i>	<b>Nb</b>
	<i>Trechus discus</i>	<b>Nb</b>
Cerambycidae (Longhorn beetles):	<i>[Acanthocinus aedilis]</i>	<b>Nb</b>
	<i>Anaglyptus mysticus</i>	<b>Nb</b>
	<i>Aromia moschata</i>	<b>Nb</b>
	<i>Gracilia minuta</i>	<b>pRDB2</b>
	<i>Grammoptera variegata</i>	<b>Na</b>
	<i>[Leptura scutellata]</i>	<b>Na</b>
	<i>[Phytoecia cylindrica]</i>	<b>Nb</b>
	<i>Prionus coriarius</i>	<b>Na</b>
	<i>[Saperda carcharias]</i>	<b>Na</b>
	<i>Saperda scalaris</i>	<b>Na</b>
	<i>[Stenostola dubia]</i>	<b>Nb</b>
Cerylonidae (Cerylonid beetles):	<i>Anommatus duodecimstriatus</i>	<b>Na</b>
	<i>Cerylon fagi</i>	<b>Nb</b>
Chrysomelidae (Leaf beetles):	<i>[Chalcoides nitidula]</i>	<b>Nb</b>
	<i>Chrysolina oricalcia</i>	<b>Nb</b>
	<i>[Chrysolina violacea]</i>	<b>Nb</b>
	<i>[Cryptocephalus coryli]</i>	<b>RDB1</b>
	<i>Cryptocephalus querceti</i>	<b>RDB2</b>
	<i>Donacia cinerea</i>	<b>Nb</b>
	<i>[Longitarsus anchusae]</i>	<b>Nb</b>
	<i>Longitarsus brunneus</i>	<b>Nb</b>
	<i>[Longitarsus ganglbaueri]</i>	<b>Na</b>
	<i>Longitarsus ochroleucus</i>	<b>Nb</b>
	<i>Luperus flavipes</i>	<b>Nb</b>
	<i>[Macroplea appendiculata]</i>	<b>RDB3</b>
	<i>[Mantura rustica]</i>	<b>Nb</b>
	<i>Phyllodecta decemnotata</i>	<b>Nb</b>
	<i>Phyllotreta cruciferae</i>	<b>Nb</b>
	<i>Podagrica fuscicornis</i>	<b>Nb</b>
	<i>[Psylliodes luteola]</i>	<b>pRDBK</b>
Cisidae (Minute tree-fungus beetles):	<i>Cis festivus</i>	<b>Nb</b>
Cleridae (Chequered beetles):	<i>[Opilo mollis]</i>	<b>Nb</b>
	<i>Tillus elongatus</i>	<b>Nb</b>
Coccinellidae (Ladybirds):	<i>Coccinella magnifica</i>	<b>Na</b>

	<i>Hippodamia variegata</i>	<b>Nb</b>
	<i>Platynaspis luteorubra</i>	<b>Na</b>
	<i>Scymnus femoralis / schmidti</i>	<b>Nb/Nb</b>
Colydiidae (Colydiid beetles):	<i>Synchita humeralis</i>	<b>Nb</b>
	<i>Teredus cylindricus</i>	<b>RDB1</b>
Cryptophagidae (Silken fungus beetles):	[ <i>Atomaria atra</i> ]	<b>Nb</b>
	[ <i>Atomaria nigripennis</i> ]	<b>Nb</b>
	[ <i>Atomaria nigriventris</i> ]	<b>Nb</b>
	[ <i>Atomaria strandi</i> ]	<b>Nb</b>
	<i>Cryptophagus ruficornis</i>	<b>Nb</b>
Curculionidae (Weevils):	<i>Acalles ptinoides</i>	<b>Nb</b>
	[ <i>Anthonomus ulmi</i> ]	<b>Nb</b>
	[ <i>Baris lepidii</i> ]	<b>Na</b>
	<i>Barynotus squamosus</i>	<b>Nb</b>
	<i>Barypeithes sulcifrons</i>	<b>Nb</b>
	[ <i>Brachysomus echinatus</i> ]	<b>Nb</b>
	[ <i>Ceuthorhynchus arquatus</i> ]	<b>RDBI</b>
	[ <i>Ceutorhynchus viduatus</i> ]	<b>Nb</b>
	[ <i>Cneorhinus plumbeus</i> ]	<b>Nb</b>
	[ <i>Coeliodes erythroleucos</i> ]	<b>Nb</b>
	[ <i>Coeliodes ruber</i> ]	<b>Nb</b>
	<i>Cossonus parallelepipedus</i>	<b>Nb</b>
	<i>Cryptorhynchus lapathi</i>	<b>Nb</b>
	[ <i>Curculio betulae</i> ]	<b>Nb</b>
	<i>Curculio villosus</i>	<b>Nb</b>
	[ <i>Drupenatus nasturtii</i> ]	<b>Nb</b>
	<i>Grypus equiseti</i>	<b>Nb</b>
	<i>Gymnetron villosulum</i>	<b>Nb</b>
	[ <i>Hydronomus alismatis</i> ]	<b>Nb</b>
	[ <i>Hypera fuscocinerea</i> ]	<b>Nb</b>
	<i>Litodactylus leucogaster</i>	<b>Nb</b>
	<i>Magdalis cerasi</i>	<b>Nb</b>
	[ <i>Magdalis carbonaria</i> ]	<b>Nb</b>
	<i>Notaris bimaculatus</i>	<b>Nb</b>
	<i>Notaris scirpi</i>	<b>Nb</b>
	<i>Omiamima mollina</i>	<b>Na</b>
	[ <i>Otiorhynchus raucus</i> ]	<b>Nb</b>
	<i>Polydrusus mollis</i>	<b>Nb</b>
	[ <i>Procas armillatus</i> ]	<b>RDBI</b>
	[ <i>Rhynchaenus testaceus</i> ]	<b>pRDB2</b>
	[ <i>Sitona macularius</i> ]	<b>Nb</b>
	[ <i>Tanymecus palliatus</i> ]	<b>Nb</b>
	[ <i>Trachodes hispidus</i> ]	<b>Nb</b>
	<i>Tropiphorus terricola</i>	<b>Nb</b>

Dermestidae (Fur beetles):	<i>Ctesias serra</i>	<b>Nb</b>
	<i>Megatoma undata</i>	<b>Nb</b>
Dytiscidae (Diving beetles):	<i>Agabus biguttatus</i>	<b>Nb</b>
	<i>Agabus uliginosus</i>	<b>Nb</b>
	<i>Dytiscus circumcinctus</i>	<b>Na</b>
	<i>Dytiscus circumflexus</i>	<b>Nb</b>
	<i>Graptodytes granularis</i>	<b>Nb</b>
	<i>Hydroglyphus pusillus</i>	<b>Nb</b>
	<i>Hygrotus quinquelineatus</i>	<b>Nb</b>
	<i>Ilybius aenescens</i>	<b>Nb</b>
	<i>Ilybius fenestratus</i>	<b>Nb</b>
	<i>Ilybius subaeneus</i>	<b>Nb</b>
	<i>Rhantus grapii</i>	<b>Nb</b>
	<i>Rhantus suturalis</i>	<b>Nb</b>
	<i>Scarodytes halensis</i>	<b>Nb</b>
<i>Stictonectes lepidus</i>	<b>Nb</b>	
Elateridae (Click beetles):	[ <i>Adrastus rachifer</i> ]	<b>pRDB3</b>
	<b><i>Ampedus cardinalis</i></b>	<b>RDB2</b>
	[ <i>Ampedus cinnabarinus</i> ]	<b>RDB3</b>
	<i>Ampedus quercicola</i>	<b>Nb</b>
	<i>Ampedus pomorum</i>	<b>Nb</b>
	<i>Athous campyloides</i>	<b>Nb</b>
	<i>Ctenicera pectinicornis</i>	<b>Na</b>
	<i>Oedostethus quadripustulatus</i>	<b>Na</b>
	[ <i>Ischnodes sanguinicollis</i> ]	<b>Na</b>
	[ <i>Prokraerus tibialis</i> ]	<b>pRDB3</b>
[ <i>Calambus bipustulatus</i> ]	<b>Nb</b>	
[ <i>Paraphotistus nigricornis</i> ]	<b>pRDB3</b>	
Erotylidae (Pleasing fungus beetles):	<i>Tritoma bipustulata</i>	<b>Na</b>
Eucnemidae (False click beetles):	<i>Melasis buprestoides</i>	<b>Nb</b>
Geotrupidae (Dor beetles):	[ <i>Geotrupes vernalis</i> ]	<b>Nb</b>
Gyrinidae (Whirligig beetles):	<i>Gyrinus aeratus</i>	<b>Nb</b>
Haliplidae (Crawling water beetles):	<i>Haliplus laminatus</i>	<b>Nb</b>
Histeridae (Histerid beetles):	[ <i>Abraeus granulum</i> ]	<b>Na</b>
	<i>Gnathonocus buyssoni</i>	<b>Na</b>
	[ <i>Grammostethus marginatus</i> ]	<b>Nb</b>
	[ <i>Hypocaccus rugifrons</i> ]	<b>Nb</b>
	<i>Plegaderus dissectus</i>	<b>Nb</b>

	<i>Saprinus virescens</i>	<b>pRDBK</b>
Hydraenidae (Water beetles):	<i>Hydraena testacea</i>	<b>Nb</b>
	<i>Limnebius nitidus</i>	<b>Nb</b>
	<i>Limnebius papposus</i>	<b>Nb</b>
	[ <i>Ochthebius bicolon</i> ]	<b>Nb</b>
	<i>Ochthebius nanus</i>	<b>Nb</b>
Hydrophilidae (Water scavenger beetles):	<i>Anacaena bipustulata</i>	<b>Nb</b>
	<i>Berosus luridus</i>	<b>Nb</b>
	<i>Cercyon convexiusculus</i>	<b>Nb</b>
	<i>Cercyon lugubris</i>	<b>Nb</b>
	<i>Cercyon tristis</i>	<b>Nb</b>
	<i>Cercyon ustulatus</i>	<b>Nb</b>
	<i>Chaetarthria seminulum</i>	<b>Nb</b>
	<i>Enochrus melanocephalus</i>	<b>Nb</b>
	<i>Enochrus ochropterus</i>	<b>Nb</b>
	<i>Helochares lividus</i>	<b>Nb</b>
	<i>Helochares punctatus</i>	<b>Nb</b>
	<i>Helophorus alternans</i>	<b>Na</b>
	<i>Helophorus dorsalis</i>	<b>Nb</b>
	<i>Helophorus griseus</i>	<b>Nb</b>
	<i>Helophorus nanus</i>	<b>Na</b>
	[ <i>Hydrochus elongatus</i> ] / [ <i>ignicollis</i> ]	<b>RDB3/3</b>
	<i>Laccobius sinuatus</i>	<b>Nb</b>
Lathridiidae (Mould beetles):	<i>Corticaria alleni</i>	<b>Nb</b>
	<i>Corticaria linearis</i>	<b>Nb</b>
	<i>Corticaria longicollis</i>	<b>pRDBK</b>
	<i>Enicmus fungicola</i>	<b>Nb</b>
	<i>Enicmus rugosus</i>	<b>Nb</b>
	[ <i>Enicmus brevicornis</i> ]	<b>Nb</b>
	<i>Lathridius consimilis</i>	<b>Nb</b>
Leiodidae (Round fungus beetles):	<i>Catopidius depressus</i>	<b>Nb</b>
	<i>Leiodes cinnamomea</i>	<b>Nb</b>
	<i>Leiodes furva</i>	<b>Nb</b>
	[ <i>Leiodes oblonga</i> ]	<b>Nb</b>
	[ <i>Ptomaphagus varicornis</i> ]	<b>pRDBK</b>
Lycidae (Net-winged beetles):	<i>Platycis minuta</i>	<b>Nb</b>
	<i>Pyropterus nigroruber</i>	<b>Na</b>
Lyctidae (Powder-post beetles):	[ <i>Lyctus linearis</i> ]	<b>Nb</b>
Lymexylidae (Timber beetles):	<i>Hylecoetus dermestoides</i>	<b>Nb</b>
Melandryidae (False darkling beetles):	<i>Abdera quadrifasciata</i>	<b>Na</b>

	<i>[Conopalpus testaceus]</i>	<b>Nb</b>
	<i>Hallomenus binotatus</i>	<b>Nb</b>
	<i>Melandrya caraboides</i>	<b>Nb</b>
	<i>Orchesia micans</i>	<b>Nb</b>
	<i>Phloiotrya vaudoueri</i>	<b>Nb</b>
Meloidae (Blister beetles):	<i>[Meloe violaceus]</i>	<b>Nb</b>
Melyridae (Soft-winged flower beetles):	<i>Aplocnemus nigricornis</i>	<b>Na</b>
	<i>[Aplocnemus pini]</i>	<b>Nb</b>
	<i>[Dasytes plumbeus]</i>	<b>Nb</b>
Mycetophagidae (Hairy fungus beetles):	<i>[Mycetophagus piceus]</i>	<b>Nb</b>
Nitidulidae (Sap beetles):	<i>[Cryptarcha strigata]</i>	<b>Nb</b>
	<i>Epuraea adumbrata</i>	<b>Nb</b>
	<i>Epuraea distincta</i>	<b>Na</b>
	<i>[Epuraea guttata]</i>	<b>Nb</b>
	<i>[Epuraea longula]</i>	<b>Nb</b>
	<i>[Meligethes ochropus]</i>	<b>Nb</b>
Oedemeridae (False blister beetles):	<i>Ischnomera cyanea</i>	<b>Nb</b>
	<i>[Ischnomera sanguinicollis]</i>	<b>Nb</b>
Peltidae (Peltid beetles):	<i>Thymalus limbatus</i>	<b>Nb</b>
Phloiophilidae (Phloiophilid beetles):	<i>[Phloiophilus edwardsi]</i>	<b>Nb</b>
Pselaphidae (Short-winged mould beetles):	<i>Batrisodes venustus</i>	<b>Na</b>
	<i>[Claviger testaceus]</i>	<b>Nb</b>
	<i>Euplectus bonvouloiri rosae</i>	<b>Nb</b>
	<i>Euplectus punctatus</i>	<b>pRDB3</b>
	<i>Euplectus punctatus tholini</i>	<b>pRDB3</b>
	<i>Euplectus fauveli</i>	<b>Nb</b>
	<i>Euplectus nanus</i>	<b>RDBI</b>
	<i>Plectophloeus nitidus</i>	<b>pRDB2</b>
Ptiliidae (Feather-winged beetles):	<i>[Acrotrichis dispar]</i>	<b>Nb</b>
	<i>Acrotrichis silvatica</i>	<b>Nb</b>
	<i>[Euryptilium saxonicum]</i>	<b>Nb</b>
	<i>Micridium halidaii</i>	<b>RDBK</b>
	<i>Nossidium pilosellum</i>	<b>Nb</b>
	<i>[Ptenidium gressneri]</i>	<b>Nb</b>
	<i>[Ptenidium turgidum]</i>	<b>RDBK</b>
	<i>[Ptiliolium marginatum]</i>	<b>RDBK</b>
	<i>[Ptinella denticollis]</i>	<b>Nb</b>
	<i>[Ptinella limbata]</i>	<b>pRDBK</b>

Ptinidae (Spider beetles):	<i>[Ptinus sexpunctatus]</i>	<b>Nb</b>
	<i>[Ptinus subpilosus]</i>	<b>Nb</b>
Rhizophagidae (Narrow bark beetles):	<i>Rhizophagus nitidulus</i>	<b>Nb</b>
	<i>[Rhizophagus oblongicollis]</i>	<b>RDB1</b>
	<i>[Rhizophagus picipes]</i>	<b>Na</b>
Scaphidiidae (Scaphidiid beetles):	<i>Scaphisoma boleti</i>	<b>Nb</b>
Scarabaeidae (Dung beetles):	<i>Aphodius distinctus</i>	<b>Nb</b>
	<i>Aphodius porcus</i>	<b>Nb</b>
	<i>[Euheptaulacus villosus]</i>	<b>Na</b>
	<i>[Onthophagus nuchicornis]</i>	<b>Na</b>
Scirtidae (Marsh beetles):	<i>[Prionocyphon serricornis]</i>	<b>Nb</b>
Scolytidae (Bark beetles):	<i>Ernoporus tiliae</i>	<b>pRDB1</b>
	<i>Pityophthorus lichtensteini</i>	<b>RDB3</b>
	<i>[Xyloterus signatus]</i>	<b>Nb</b>
Scraptiidae (False darkling beetles):	<i>[Scraptia fuscula]</i>	<b>pRDB1</b>
	<i>Scraptia testacea</i>	<b>pRDB3</b>
Scydmaenidae (Small ant-like beetles):	<i>[Eutheia linearis]</i>	<b>RDB1</b>
	<i>Microscydmus minimus</i>	<b>pRDB3</b>
	<i>[Neuraphes plicicollis]</i>	<b>Nb</b>
	<i>[Scydmorephes sparshalli]</i>	<b>pRDBK</b>
	<i>[Stenichnus godarti]</i>	<b>pRDB3</b>
Silphidae (Carrion beetles):	<i>Aclypea opaca</i>	<b>Na</b>
	<i>[Aclypea undata]</i>	<b>pRDB1</b>
	<i>Dendroxena quadrimaculata</i>	<b>Nb</b>
	<i>[Nicrophorus interruptus]</i>	<b>Nb</b>
	<i>[Nicrophorus vestigator]</i>	<b>Na</b>
	<i>[Silpha obscura]</i>	<b>pRDB2</b>
	<i>[Silpha tyrolensis]</i>	<b>Nb</b>
Sphindidae (Sphindid beetles):	<i>[Sphindus dubius]</i>	<b>Nb</b>
Staphylinidae (Rove beetles):	<i>Acidota cruentata</i>	<b>Nb</b>
	<i>[Aleochara moerens]</i>	<b>Nb</b>
	<i>Aloconota languida</i>	<b>Nb</b>
	<i>[Atheta benickiella]</i>	<b>Nb</b>
	<i>Atheta hygrobia</i>	<b>Nb</b>
	<i>[Atheta nigrifula]</i>	<b>Nb</b>
	<i>[Atheta picipes]</i>	<b>Nb</b>

<i>[Atheta pilicornis]</i>	<b>Nb</b>
<i>Brachyusa concolor</i>	<b>Nb</b>
<i>Calodera riparia</i>	<b>Nb</b>
<i>Calodera uliginosa</i>	<b>pRDBK</b>
<i>Carpelimus lindrothi</i>	<b>Nb</b>
<i>Carpelimus obesus</i>	<b>Nb</b>
<i>Carpelimus similis</i>	<b>Nb</b>
<i>Dexiogyia corticina</i>	<b>Nb</b>
<i>Dochmonota clancula</i>	<b>Nb</b>
<i>Gabrius bishopi</i>	<b>Nb</b>
<i>Gnypeta ripicola</i>	<b>Nb</b>
<i>Gnypeta velata</i>	<b>Nb</b>
<i>[Ilyobates nigricollis] / [subopacus]</i>	<b>pRDBK/Nb</b>
<i>Ilyobates propinquus</i>	<b>Nb</b>
<i>Lamprinodes saginatus</i>	<b>Na</b>
<i>[Mycetoporus punctus]</i>	<b>Nb</b>
<i>Myllaena elongata</i>	<b>Nb</b>
<i>[Myllaena fowleri]</i>	<b>pRDBK</b>
<i>[Ocypus ophthalmicus]</i>	<b>Na</b>
<i>Oligota apicata</i>	<b>Nb</b>
<i>[Omalium allardi]</i>	<b>Nb</b>
<i>[Omalium exiguum]</i>	<b>Nb</b>
<i>Omalium rugatum</i>	<b>Nb</b>
<i>Oxypoda exoleta</i>	<b>Nb</b>
<i>Oxypoda recondita</i>	<b>Nb</b>
<i>[Oxypoda spectabilis]</i>	<b>Nb</b>
<i>Oxytelus fulvipes</i>	<b>Na</b>
<i>[Philonthus ebeninus]</i>	<b>Nb</b>
<i>Phloeopora angustiformis</i>	<b>Nb</b>
<i>[Phyllodrepa salicis]</i>	<b>pRDBK</b>
<i>[Placusa tachyporoides]</i>	<b>Nb</b>
<i>[Platydracus fulvipes]</i>	<b>Nb</b>
<i>[Platydracus pubescens]</i>	<b>Nb</b>
<i>Platystethus nodifrons</i>	<b>Nb</b>
<i>Proteinus crenulatus</i>	<b>Nb</b>
<i>[Pseudopsis sulcata]</i>	<b>Nb</b>
<i>[Quedius fulgidus]</i>	<b>Nb</b>
<i>[Quedius puncticollis]</i>	<b>Nb</b>
<i>Quedius scitus</i>	<b>Nb</b>
<i>[Quedius ventralis]</i>	<b>Nb</b>
<i>Quedius xanthopus</i>	<b>Nb</b>
<i>Schistoglossa gemina</i>	<b>Nb</b>
<i>Sepedophilus testaceus</i>	<b>Nb</b>
<i>[Stenus atratulus]</i>	<b>Nb</b>
<i>[Stenus fuscicornis]</i>	<b>Nb</b>
<i>[Stenus nigrutilus]</i>	<b>Nb</b>
<i>[Trichophya pilicornis]</i>	<b>Nb</b>

Tenebrionidae (Darkling beetles)	<i>Corticeus unicolor</i>	<b>RDB3</b>
	<i>Eledona agricola</i>	<b>Nb</b>
	<i>Mycetochara humeralis</i>	<b>Na</b>
	<i>Prionychus ater</i>	<b>Nb</b>
	<i>Prionychus melanarius</i>	<b>RDB2</b>
	<i>Pseudocistela ceramboides</i>	<b>Nb</b>
	<i>Scaphidema metallicum</i>	<b>Nb</b>
Tetratomidae (False darkling beetles)	[ <i>Tetratoma desmaresti</i> ]	<b>Na</b>
Trogossitidae (Bark-gnawing beetles)	[ <i>Nemozoma elongatum</i> ]	<b>RDB3</b>

**Vascular Plants**

This category includes flowering plants, conifers, ferns and their relatives.

Several UK Long List vascular plant species occur in Nottinghamshire (indicated in bold). The following list includes:

- all UK Long List species which have been recorded in Nottinghamshire;
- all species recorded in 9 or fewer localities in the County since 1980 (excluding species which are not native to the UK);
- species which were identified by the consultation as being particularly characteristic of Nottinghamshire or popular with local people (most of these were already listed due to their conservation status).

**List of Vascular Plants of Conservation Concern**

Alternate golden saxifrage	<i>Chrysosplenium alternifolium</i>
Annual knawel	<i>Scleranthus annuus</i> agg.
Arrowgrass	<i>Triglochin palustris</i>
Autumn gentian	<i>Gentianella amarella</i> agg.
Basil thyme	<i>Clinopodium acinos</i>
Bay willow	<i>Salix pentandra</i>
Bilberry	<i>Vaccinium myrtillus</i>
Bird's nest orchid	<i>Neottea nidus-avis</i>
Bistort	<i>Persicaria bistorta</i>
Black bog rush	<i>Schoenus nigricans</i>
Black poplar	<i>Populus nigra</i>
Black spleenwort	<i>Asplenium adiantum-nigrum</i>
Blackcurrant	<i>Ribes nigrum</i>
Bladder sedge	<i>Carex vesicaria</i>
Blinks	<i>Montia fontana</i>
Bloody cranesbill	<i>Geranium sanguineum</i>
<b>Blue fescue</b>	<i>Festuca longifolia</i>
Blue water-speedwell	<i>Veronica anagallis-aquatica</i>
<b>Bluebell</b>	<i>Hyacinthoides non-scripta</i>
Blunt-leaved pondweed	<i>Potamogeton obtusifolius</i>
Bog myrtle	<i>Myrica gale</i>
Bog pimpernel	<i>Anagallis tenella</i>
Bog pondweed	<i>Potamogeton polygonifolius</i>
Bog stitchwort	<i>Stellaria alsine</i>
Bogbean	<i>Menyanthes trifoliata</i>
Bottle sedge	<i>Carex rostrata</i>
Brackish water-crowfoot	<i>Ranunculus baudotii</i>
Brittle bladder fern	<i>Cystopteris fragilis</i>

Broad leaved helleborine	<i>Epipactis helleborine</i>
<b>Broad-leaved spurge</b>	<i>Euphorbia platyphyllus</i>
Brookweed	<i>Samolus valerandi</i>
Bugloss	<i>Lycopsis arvensis</i>
<b>Burnt orchid</b>	<i>Orchis ustulata</i>
Butterfly orchid	<i>Platanthera chlorantha</i>
Butterwort	<i>Pinguicula vulgaris</i>
<b>Cambridge milk-parsley</b>	<i>Selinum carvifolia</i>
Charlock (ketlock)	<i>Sinapis arvensis</i>
Chicory	<i>Cichorium intybus</i>
Clustered bellflower	<i>Campanula glomerata</i>
Columbine	<i>Aquilegia vulgaris</i>
Common berberis	<i>Berberis vulgaris</i>
Common broomrape	<i>Orobanche minor</i>
Common calamint	<i>Calamintha ascendens</i>
Common cotton grass	<i>Eriophorum angustifolium</i>
Common cow wheat	<i>Melampyrum pratense</i>
Common polypody	<i>Polypodium vulgare</i>
Common ramping-fumitory	<i>Fumaria muralis ssp borei</i>
<b>Corn buttercup</b>	<i>Ranunculus arvensis</i>
<b>Corn cleavers</b>	<i>Galium tricornutum</i>
<b>Corn gromwell</b>	<i>Lithospermum arvense</i>
Corn marigold	<i>Chrysanthemum segetum</i>
<b>Corn parsley</b>	<i>Petroselinum segetum</i>
Cornflower	<i>Centaurea cyanus</i>
Cowslip	<i>Primula veris</i>
Creeping willow	<i>Salix repens</i>
<b>Crested buckler-fern</b>	<i>Dryopteris cristata</i>
Cross leaved heather	<i>Erica tetralix</i>
Cyperus sedge	<i>Carex pseudocyperus</i>
Deadly nightshade	<i>Atropa belladonna</i>
Dioecious sedge	<i>Carex dioica</i>
Distant sedge	<i>Carex distans</i>
Dwarf gorse	<i>Ulex minor</i>
Dwarf mallow	<i>Malva neglecta</i>
Early marsh orchid	<i>Dactylorhiza incarnata</i>
Eyebright	<i>Euphrasia anglica</i>
Eyebright	<i>Euphrasia pseudokernerii</i>
Fen bedstraw	<i>Gallium uliginosum</i>
Fen pondweed	<i>Potamogeton coloratus</i>
<b>Fen violet</b>	<i>Viola persicifolia</i>
Fennel pondweed	<i>Potamogeton pectinatus</i>
Few flowered spike rush	<i>Eleocharis quinqueflora</i>
Field garlic	<i>Allium oleraceum</i>
Field speedwell	<i>Veronica agrestis</i>
Field woundwort	<i>Stachys arvensis</i>
Flat-stalked pondweed	<i>Potamogeton friesii</i>

Flea sedge	<i>Carex pulicaris</i>
Flixweed	<i>Descurainia sophia</i>
Floating scirpus	<i>Eleogiton fluitans</i>
Fluellen	<i>Kickxia spuria</i>
Fly orchid	<i>Ophrys insectifera</i>
Fragrant agrimony	<i>Agrimonia procera</i>
Fragrant orchid	<i>Gymnadenia conopsea</i>
Frog orchid	<i>Coeloglossum viride</i>
Gladdon	<i>Iris foetidissima</i>
Golden rod	<i>Solidago virgaurea</i>
<b>Grass poly</b>	<i>Lythrum hyssopifolia</i>
<b>Grass-wrack pondweed</b>	<i>Potamogeton compressus</i>
Great duck weed	<i>Spirodela polyrhiza</i>
Great spearwort	<i>Ranunculus lingua</i>
Great wood rush	<i>Luzula sylvatica</i>
Greater broomrape	<i>Orobanche rapum-genistae</i>
Greater chickweed	<i>Stellaria neglecta</i>
<b>Greater water-parsnip</b>	<i>Sium latifolium</i>
Green bears' foot	<i>Helleborus viridis</i>
Green winged orchid	<i>Orchis morio</i>
Gromwell	<i>Lithospermum officinale</i>
Hairlike pondweed	<i>Potamogeton trichoides</i>
Hairy buttercup	<i>Ranunculus sardous</i>
Hard fern	<i>Blechnum spicant</i>
Hare's tail cotton grass	<i>Eriophorum vaginatum</i>
<b>Heath cudweed</b>	<i>Gnaphalium silvaticum</i>
Hedge sison	<i>Sison amomum</i>
Hemlock water-dropwort	<i>Oenanthe crocata</i>
Henbane	<i>Hyoscyamus niger</i>
Herb Paris	<i>Paris quadrifolia</i>
Hoary cinquefoil	<i>Potentilla argentea</i>
Hound's tongue	<i>Cynoglossum officinale</i>
Hybrid avens	<i>Geum x intermedium</i>
Hybrid dog-rose	<i>Rosa xdumalis</i>
Hybrid eared willow	<i>Salix aurita x viminalis</i>
Hybrid goat willow	<i>Salix caprea x viminalis</i>
Hybrid oak	<i>Quercus robur x petraea</i>
Hybrid osier	<i>Salix purpurea x viminalis x cinerea</i>
Hybrid purple willow	<i>Salix purpurea x viminalis</i>
Hybrid shield-fern	<i>Polystichum xbicknellii</i>
Imperforate St. John's wort	<i>Hypericum maculatum</i>
Ivy leaved speedwell	<i>Veronica hederifolia</i>
<b>Ivyleaved crowfoot</b>	<i>Ranunculus hederaceus</i>
Keel-fruited cornsalad	<i>Valerianella carinata</i>
Knotted hedge parsley	<i>Torilis nodosa</i>
Knotted pearlwort	<i>Sagina nodosa</i>
Large hemp nettle	<i>Galeopsis speciosa</i>

Lesser apium	<i>Apium inundatum</i>
Lesser stitchwort	<i>Stellaria graminea</i>
Lesser trefoil	<i>Trifolium dubium</i>
Lesser water plantain	<i>Baldellia ranunculoides</i>
Lily of the valley	<i>Convallaria majalis</i>
Ling	<i>Calluna vulgaris</i>
Linton's pondweed	<i>Potamogeton xlintonii</i>
Long stalked cranesbill	<i>Geranium columbinum</i>
Longheaded poppy	<i>Papaver dubium</i>
Maiden pink	<i>Dianthus deltoides</i>
Marsh cinquefoil	<i>Potentilla palustris</i>
Marsh hawksbeard	<i>Crepis paludosa</i>
Marsh pea	<i>Lathyrus palustris</i>
Marsh pennywort	<i>Hydrocotyle vulgaris</i>
Marsh speedwell	<i>Veronica scutellata</i>
Marsh stitchwort	<i>Stellaria palustris</i>
Marsh violet	<i>Viola palustris</i>
Meadow brome	<i>Bromus commutatus</i>
Meadow cranesbill	<i>Geranium pratense</i>
Meadow saxifrage	<i>Saxifraga granulata</i>
Milkwort	<i>Polygala serpilifolia</i>
Mistletoe	<i>Viscum album</i>
Moor sedge	<i>Carex binervis</i>
Mossy tillaea	<i>Crassula tillaea</i>
<b>Mountain currant</b>	<i>Ribes alpinum</i>
Mountain St. John's wort	<i>Hypericum montanum</i>
Mudwort	<i>Limosella aquatica</i>
<b>Narrow fruited corn salad</b>	<i>Valerianella dentata</i>
Narrow-leaved meadow-grass	<i>Poa angustifolia</i>
Narrow-leaved pepperwort	<i>Lepidium ruderale</i>
Narrow-leaved water-plantain	<i>Alisma lanceolatum</i>
Needle furze	<i>Genista anglica</i>
Nettle leaved bell flower	<i>Campanula trachelium</i>
Nightflowering catchfly	<i>Silene noctiflora</i>
Nipplewort	<i>Lapsana communis</i>
Northern dog-rose	<i>Rosa caesia</i>
Opposite leafed pondweed	<i>Groenlandia densa</i>
Orpine	<i>Sedum telephium</i>
Pale persicaria	<i>Polygonum lapathifolium</i>
Pale sedge	<i>Carex pallescens</i>
Parsley water dropwort	<i>Oenanthe lachenalii</i>
<b>Pennyroyal</b>	<i>Mentha pulegium</i>
Petty spurge	<i>Euphorbia peplus</i>
<b>Plot's elm</b>	<i>Ulmus plotii</i>
Prickly sedge	<i>Carex muricata ssp lamprocarpa</i>
Purple small reed	<i>Calamagrostis canescens</i>
Pyramid orchid	<i>Anacamptis pyramidalis</i>

<b>Rannoch-rush</b>	<i>Scheuchzeria palustris</i>
<b>Red hemp-nettle</b>	<i>Galeopsis angustifolia</i>
Rock rose	<i>Helianthemum nummularium</i>
Rough hawk's-beard	<i>Crepis biennis</i>
Rue leaved saxifrage	<i>Saxifraga tridactylites</i>
Rustyback	<i>Ceterach officinarum</i>
Sand leek	<i>Allium scorodoprasum</i>
Sand sedge	<i>Carex arenaria</i>
Scarlet pimpernel	<i>Anagallis arvensis ssp arvensis</i>
Scotch thistle	<i>Onopordon acanthium</i>
Sea aster	<i>Aster tripolium</i>
Sea club rush	<i>Bolboschoenus maritimus</i>
Sea mouse-ear	<i>Cerastium diffusum</i>
Sheep's bit	<i>Jasione montana</i>
Sherard's downy-rose	<i>Rosa sherardii</i>
Shining pondweed	<i>Potamogeton lucens</i>
Short-leaved water-starwort	<i>Callitriche truncata</i>
Short-styled field-rose	<i>Rosa stylosa</i>
Silky bent	<i>Apera spica-venti</i>
Slender bird's foot trefoil	<i>Lotus glaber</i>
Slender soft-brome	<i>Bromus lepidus</i>
Slender trefoil	<i>Trifolium micranthum</i>
Small flowered buttercup	<i>Ranunculus parviflorus</i>
Small fluellen	<i>Kickxia elatine</i>
Small pondweed	<i>Potamogeton berchtoldii</i>
Small teasel	<i>Dipsacus pilosus</i>
Small water-pepper	<i>Persicaria minor</i>
<b>Small-flowered catchfly</b>	<i>Silene gallica</i>
Smith's cress	<i>Lepidium heterophyllum</i>
Smooth brome	<i>Bromus racemosus</i>
<b>Smooth cat's ear</b>	<i>Hypochoeris glabra</i>
Smooth hawksbeard	<i>Crepis capillaris</i>
Smooth leaved elm	<i>Ulmus carpiniifolia</i>
<b>Smooth rupturewort</b>	<i>Herniaria glabra</i>
Spotted medick	<i>Medicago arabica</i>
Stag's horn club moss	<i>Lycopodium clavatum</i>
Star headed sedge	<i>Carex echinata</i>
Stemless thistle	<i>Cirsium acaule,</i>
Stinking mayweed	<i>Anthemis cotula</i>
Subterranean clover	<i>Trifolium subterraneum</i>
Sweet mountain fern	<i>Oreopteris limbosperma</i>
Tasteless water-pepper	<i>Persicaria laxiflora</i>
Tawny sedge	<i>Carex hostiana</i>
Thyme leaved sandwort	<i>Arenaria serpyllifolia ssp serpyllifolia</i>
Toothwort	<i>Lathraea squamaria</i>
Tufted sedge	<i>Carex elata</i>
Various leafed pondweed	<i>Potamogeton gramineus</i>

---

<b>Venus' comb</b>	<i>Scandix pecten-veneris</i>
Viper's bugloss	<i>Echium vulgare</i>
<b>Water crowfoot</b>	<i>Ranunculus fluitans</i>
Water crowfoot	<i>Ranunculus omiophyllus</i>
<b>Water crowfoot</b>	<i>Ranunculus penicillatus</i>
Water soldier	<i>Stratiotes aloides</i>
Water starwort	<i>Callitriche intermedia</i>
Water violet	<i>Hottonia palustris</i>
Watercress	<i>Rorippa nasturtium-aquaticum</i>
Weld	<i>Reseda luteola</i>
Western gorse	<i>Ulex gallii</i>
White sedge	<i>Carex curta</i>
Whitlow grass	<i>Erophila verna</i>
Whorl grass	<i>Catabrosa aquatica</i>
Whorled water-milfoil	<i>Myriophyllum verticillatum</i>
Wild carrot	<i>Daucus carota</i>
Wild thyme	<i>Thymus polytrichus</i>
Winter-cress	<i>Barbarea vulgaris</i>
Wood barley	<i>Hordelymus europaeus</i>
Wood club rush	<i>Scirpus sylvaticus</i>
Wood dog violet	<i>Viola reichenbachiana</i>
Wood everlasting pea	<i>Lathyrus sylvestris</i>
Wood horsetail	<i>Equisetum sylvaticum</i>
Wood spurge	<i>Euphorbia amygdaloides</i>
Wood stitchwort	<i>Stellaria nemorum</i>
Wood vetch	<i>Vicia sylvatica</i>
Yellow bird's nest	<i>Monotropa hypopitys</i> agg.
Yellow spurred dog violet	<i>Viola canina</i> ssp <i>canina</i>
Yellow star of Bethlehem	<i>Gagea lutea</i>
Yellow-sedge	<i>Carex viridula</i> ssp <i>brachyrrhyncha</i>